The Sensory Receptors:

Overcoming Receptor Adaptation–The Role of Pulse Pressure in Sustained Tactile Perception

Dr. Ammar Yaseen Mansour

Abstract

The continuous perception of sustained contact—such as holding an object—remains a physiological enigma. While initial contact is well-understood, mechanoreceptors like Pacinian corpuscles rapidly adapt to static stimuli, ceasing to fire once the pressure differential dissipates.

This article proposes that the nervous system overcomes receptor adaptation by utilizing pulse pressure—the intrinsic, cyclical pressure differential generated by local arterial pulsations—as a surrogate stimulus to maintain continuous perception.

Upon initial contact, receptors encode the true magnitude of the external pressure. As the stimulus becomes static and the differential fades, pulse pressure cyclically reactivates the receptors. This generates intermittent afferent impulses that the brain interprets as the continued presence of the object. Consequently, sustained perception is maintained, though the estimated magnitude relies on the pulse pressure amplitude (ΔP) rather than the object's actual static weight. Furthermore, sensory neurons utilize graded receptor activation rather than the strict all-or-none law, allowing for the precise encoding of stimulus intensity.

The exploitation of pulse pressure represents an ingenious biological strategy. By integrating internal cardiovascular rhythms with external sensory detection, the organism ensures continuous environmental awareness and prevents the loss of retained objects.

Keywords: *Sensory receptors, Pacinian corpuscles, pulse pressure, receptor adaptation, sustained tactile perception, action pressure waves, all-or-none law.*

Superficial Sensory Receptors (SSRs)

SSRs are distributed across all contact surfaces between an organism and its environment, serving as communication bridges linking the internal and external environments.

Sensory receptors (SRs) associated with a single sensory neuron (SN) share identical structural and functional properties. Furthermore, SSRs performing the same role exhibit consistent architecture regardless of their location.

*Each dendritic neural fiber innervates a single SR, forming the receptor's core (**central neurite**). Every SSR is sensitive to a specific energy spectrum of stimuli. Regardless of the stimulus type, the SSR transduces this energy into a **pressure Wave Unit**. These Wave Units aggregate at the dendritic root to form an **Action Pressure Wave** (Figure 1), which carries the afferent signal to the central nervous system.*

*In subsequent sections, I will elaborate on the operational mechanism of SSRs, using **Pacinian corpuscles** as a model. This choice is twofold:*

1. *Pacinian corpuscles exemplify the general functional principles shared by all SSRs.*
2. *Their mechanotransductive properties vividly illustrate the proposed mode of action.*

The Wave Units

*In sensory neurons (SNs), **Action Pressure Waves** are generated peripherally at the dendritic root. These waves propagate centrally toward the axon terminal branches and consist of aggregated components termed **Wave Units**. Each Wave Unit originates in the **central neurite** of a sensory receptor (SR). At the dendritic root, Wave Units from multiple SRs within a single SN converge to form an Action Pressure Wave (Figure 1).*




Figure 1: Generation and Propagation of Wave Units

Wave Units *are generated within the nerve fiber. At the dendritic root, multiple Wave Units from activated sensory receptors converge to form a single* ***Action Pressure Wave****. This wave propagates along the axon toward its terminal branches, facilitating signal transmission to downstream neural circuits.*

A mechanical stimulus (e.g., contact) activates an SR only once, irrespective of the stimulus duration. In response, the SR emits a single Wave Unit. This mechanism explains why a pinprick elicits immediate pain (a "flash" signal), while sustained contact (e.g., a stationary pin) does not produce ongoing pain – a critical protective feature of nociceptors (pain receptors).

However, continuous detection of prolonged contact is physiologically essential. Without it, organisms might fail to perceive retained objects (e.g., a held item slipping from the hand). To resolve this, the nervous system employs ***pulse pressure*** *(Figure 4), which cyclically reactivates receptors, enabling persistent monitoring of static stimuli.*

The All-or-None Law

Unlike motor neurons, ***sensory neurons (SNs)*** *do not strictly adhere to the* ***all-or-none principle*** *(Figure 2). This deviation is critical to their function: somatosensory receptors (SSRs) must detect even minimal contact with external stimuli. If SNs followed the all-or-none law, subthreshold stimuli (e.g., light touch) would fail to elicit action potentials, rendering many subtle contact events imperceptible.*

*As demonstrated in **Figure 2**, sensory neurons encode stimulus intensity through **graded receptor activation** rather than binary firing. For example, weak stimuli activate only a subset of receptors (Figure 2-A), generating proportional signals (e.g., 5/8 of a full Action Pressure Wave). This mechanism allows the nervous system to distinguish between faint and strong stimuli, ensuring sensitivity to even the slightest environmental changes.*





Figure 2: Sensory Receptor Activation States
(A) Inactive Sensory Receptors


- *Each sensory receptor (blue circles) surrounds a dendritic neural fiber.*
- *At rest, no receptors are activated by external stimuli.*



(B) Partial Activation (Subthreshold Stimulus)

- *A weak stimulus activates 5 out of 8 receptors (red circles) on a single sensory neuron.*
- *Activated receptors generate **pressure wave units**, which converge to form a single **Action Pressure Wave** at the dendritic root.*

- *The remaining 3 receptors (blue circles) remain inactive.*
- *The sensory processing center interprets the stimulus intensity as proportional to the activated receptor ratio (5/8 of a full Action Pressure Wave's magnitude).*




(C) Full Activation (Suprathreshold Stimulus)

- *A strong stimulus activates all receptors across a group of 5 sensory neurons (40 receptors total; 8 per neuron).*
- *Each neuron generates a full **Action Pressure Wave** from its 8 activated receptors.*
- *The sensory processing center integrates these signals, interpreting the stimulus intensity as the sum of all 5 Action Pressure Waves.*

Pressure Receptors (Pacinian Corpuscles)

*Like other **somatosensory receptors (SSRs)**, Pacinian corpuscles detect mechanical stimuli (e.g., pressure) upon initial contact. They encode the precise magnitude of the applied pressure (**Pm mmHg**) instantaneously. However, these receptors rapidly adapt, ceasing to respond to sustained stimuli within moments (Figure 4).*

*This adaptation occurs because Pacinian corpuscles are activated by changes in pressure (i.e., the **pressure differential** created by the stimulus). When the stimulus remains static, this differential dissipates (reaching zero), causing the receptor*
*to stop signaling. To maintain detection during prolonged contact, **pulse pressure** provides a cyclical, intrinsic pressure differential. This pulsatile mechanism reactivates the receptors repeatedly, enabling ongoing monitoring of the stimulus.*





SENSORY RECEPTOR
SKIN
NOURISHING ARTERY
BRAIN
?!
AT REST
CARDIAC DIASTOLE
SPINE
NO SIGNAL
NEURAL FIBER
0
AT REST
CARDIAC SYSTOLE
0
HABITUAL AFFERENT IMPULSE
Pm
IN ACTION
CARDIAC DIASTOLE
Pm
FUNCTIONAL AFFERENT IMPULSE
IMMEDIATELY
1
Pm
IN ACTION
CARDIAC DIASTOLE
?!
NO SIGNAL
JUST LATER
2
Pm
IN ACTION
CARDIAC SYSTOLE
ΔP
OCCASIONAL AFFERENT IMPULSE
3
Pm
IN ACTION
CARDIAC DIASTOLE
?!
NO SIGNAL
4



Figure 4

Mechanism of Sensory Receptor Signaling During Rest and Object Contact

: https://youtu.be/VRTXlfXutUs

(0) At Rest (No Contact): *During diastole, peripheral signals cease ("silent phase"). The brain perceives this absence of input as anomalous and activates pulse pressure to scan the tissue. In systole, sensory receptors detect the pulse pressure wave and transmit* ***Habitual Afferent Impulses*** *to the brain. With no external stimulus, the brain registers a null outcome (0), resolving its "anxiety."*

(1) Initial Contact (Object Detected): *Upon contact, the sensory receptor immediately detects the object's pressure (**Pm mmHg**) and transmits a **Stimulus-Specific Afferent Impulse**. The brain interprets this accurately, estimating the object's pressure as ≈ **Pm mmHg**.*

(2) Sustained Contact (Signal Loss): *Shortly after, the receptor loses the pressure differential (due to adaptation) and stops signaling. The brain rejects this peripheral silence as implausible.*

(3) Sustained Contact (Pulse Pressure Compensation): *Subsequently, the receptor utilizes pulse pressure as a surrogate differential value, transmitting **Stimulus-Evoked Afferent Impulses (Occasional Afferent Impulses)**. The brain now estimates the object's pressure based on pulse pressure magnitude (≈ **ΔP**).*

(4) Sustained Contact (Diastolic Silence): *During diastole, pulse pressure subsides, and the receptor re-enters a silent phase. No afferent signals are sent.*

(5) Sustained Contact (Cyclic Reactivation): *In the next systolic phase, pulse pressure restores the differential value, reactivating the receptor-brain signaling loop.*

Thus, only the initial pressure reading reflects the true magnitude of the external stimulus. Subsequent signals are mediated by pulse pressure, resulting in estimations based on its amplitude (≈ ΔP) rather than the object's actual pressure (Figure 4).

For more clarity, watch the linked video:
: https://youtu.be/VRTXlfXutUs

Discussion

Pulse pressure serves as the primary driver for sensory receptors to detect even subtle changes in their environment. It generates a sustained pressure differential, essential for the continuous functioning of all sensory receptors.

This pressure differential arises from the pulsations of local arteries and arterioles. While distinct from the pressure changes induced by external stimuli themselves, this mechanism operates with remarkable efficiency. Consequently, even as a stimulus interacts with the organism, Pacinian corpuscles persist in detecting its presence, albeit through a distinct modality.

Both at rest and during stimulation, sensory receptors (e.g., Pacinian corpuscles) consistently respond to pulse pressure. They transmit afferent impulses to the brain, which then interprets these signals appropriately.

At rest (in the absence of external contact), afferent impulses generated by pulse pressure exhibit a baseline pattern. These are termed ***Habitual Afferent Impulses****. The brain recognizes this baseline activity and interprets it as the absence of contact (Figure 4-0).*

During stimulation, however, once an object makes contact, the afferent impulses shift to an altered pattern. These are termed ***Stimulus-Evoked Afferent Impulses****. Through this mechanism, the brain continuously detects the object's presence on the surface (Figure 4).*

……

In other contexts, you can also read the following articles:

- ***DOI*** ***Open Letter to Neuroscience Researchers***

 *DOI* *The Spinal Reflex, New Hypothesis of Physiology*

 - *The Hyperreflexia, Innovated Pathophysiology*

 *DOI* *The Spinal Shock: The Pathophysiology*

 - *The Spinal Injury, the Pathophysiology of the Spinal Shock, the Pathophysiology of the Hyperreflexia*

 *DOI* *Upper Motor Neuron Lesions: The Pathophysiology of the Symptomatology*

 *DOI* *Hyperreflexia (1): Pathophysiology of Disproportionate Motor Response*

 *DOI* *Hyperreflexia (2): Pathophysiology of Bilateral-Response Hyperreflexia*

 *DOI* *Hyperreflexia (3): Pathophysiology of Extended Hyperreflexia*

 *DOI* *Hyperreflexia (4): Pathophysiology of Multi-Motor-Response Hyperreflexia*

- *DOI* *The pathophysiology of Triple flexion Reflex*

 *DOI* *The Clonus, 1st Hypothesis of Pathophysiology*

 *DOI* *The Clonus, 2nd Hypothesis of Pathophysiology*

 *DOI* *The Clonus, Two Hypotheses of Pathophysiology*

- ***DOI*** ***The Unified Mechanical Model of Neurotransmission: A Mechanical-First Hypothesis of Continuous Axonal Signal Propagation and Pressure-Differential Ion-Channel Gating***

- ***DOI*** ***The Unified Mechanical Model of Neurotransmission: A Theoretical Framework and Experimental Blueprint for Validation***

 *DOI* *The Nerve Transmission through Neural Fiber: Personal View vs. International View*

 - *The Nerve Transmission through Neural Fiber (1), The Action Pressure Waves*

 - *The Nerve Transmission through Neural Fiber (2), The Action Potentials*

 - *The Nerve Transmission through Neural Fiber (3), The Action Electrical Currents*

 - *The Function of Standard Action Potentials & Currents*

 - *The Three Phases of Nerve transmission*

 *DOI* *Neural Conduction in the Synapse (Innovated)*

 *DOI* *Nodes of Ranvier, the Equalizers*

 - *Nodes of Ranvier, the Functions*

 - *Nodes of Ranvier, First Function*

 - *Nodes of Ranvier, Second Function*

 - *Nodes of Ranvier, Third Function*

 - *Node of Ranvier, The Anatomy*

 *DOI* *Vesicular Dynamics: A Unifying Theory for Wallerian Degeneration and Neural Regeneration*

- *The Wallerian Degeneration*
- *The Neural Regeneration*
- DOI *Wallerian Degeneration: Affects Motor Axons while Sparing Sensory Axons*
- DOI *The Sensory Receptors*
- DOI *Electroneurography vs. Neural Reality: Hidden Fallacies in Nerve Conduction Studies*
- DOI *Piriformis Muscle Injection: Personal Approach*
- DOI *In Philosophy of Nerves: Pain First!*
- DOI *In Neurodoctrines: Form is Necessity!*
- DOI *Pronator Teres Syndrome, Struthers-Like Ligament*
- DOI *Ulnar Nerve, Congenital Bilateral Dislocation*
- *Posterior Interosseous Nerve Syndrome*
- DOI *The Multiple Sclerosis: The Causative Relationship Between The Galvanic Current & Multiple Sclerosis?*
- DOI *Traumatic Injuries of the Cauda Equina: A Novel Surgical Approach*
- DOI *Carpal Tunnel Syndrome Ends Its Adherence: Complete Median Nerve Transection*
- DOI *Biceps Femoris' Long Head Syndrome (BFLHS)*

- DOI ***Open Letter to Cytology and Genecology Researchers***

DOI ***The Founding Excision Hypothesis: A Testable Physical Prediction of Bimodal X Chromosome Mass in Human Oocytes and the True Nature of the Barr Body (Executive Summary)***

- DOI ***The Story of Human Genesis: From Ancestral Predecessor to Human Successor — Bridging Theological Metaphor and Scientific Exposition***

DOI ***The Barr Body Conundrum: From Mysterious Origins to Functional Ambiguity***

- DOI ***A Critical Review of the Lyon Hypothesis***

- *Adam's Rib and Adam's Apple, Two Faces of one Sin*

- *Adam's Rib, could be the Original Sin?*

- *Barr Body, the Second Look*

DOI *Who Decides the Sex of Coming Baby?*

- *Boy or Girl, Mother Decides!*

- *Oocytogenesis*

- *Spermatogenesis*

- *This Woman Can Only Give Birth to Female Children*

- *This Woman Can Only Give Birth to Male Children*

- *This Woman Can Give Birth to Female Children More Than to Male Children*
- *This Woman Can Give Birth to Male Children More Than to Female Children*
- *This Woman Can Equally Give Birth to Male Children & to Female Children*

DOI ***Eve Saved Human Identity; Adam Ensured Human Adaptation***

DOI *COVID-19: Beyond the Crisis – Is It Targeting Our Genes?*

DOI *Fibromyalgia*

- *Mitosis in Animal Cell*
- *Meiosis*

DOI *The Creation of the Heavens and the Earth: The Connected Nebular Universe Hypothesis*

DOI *The Sweeping Celestial Bodies (Al-Jawāri Al-Kunnas)*

DOI *The Black Hole and the Falling Star Hypothesis*

- *DOI* *Light is a Wave and the Path is Material: A New Vision of the Nature of Light and its Propagation*

- *Pneumatic Petrous, Bilateral Temporal Hyperpneumatization*

DOI *Congenital Bilateral Thenar Hypoplasia*

- DOI *Ulnar Dimelia, Mirror hand Deformity*
- DOI *Brachymetacarpia: Bilateral and Symmetrical Shortening of the Three Ulnar Digits*

- DOI *Thumb Reconstruction Using Microvascular Second Toe to Thumb Transfer*
- DOI *Surgical Restoration of a Smile by Grafting a Segment of the Gracilis Muscle to the Face*
- DOI *Mandible Reconstruction Using Free Fibula Flap*
- DOI *Free Fibula Flap for Bone Lost Complicated with Recalcitrant Osteomyelitis*
- DOI *Presacral Schwannoma*
- DOI *Liver Hemangioma: Urgent Surgery of Giant Liver Hemangioma Due to Intra-Tumor Bleeding*
- DOI *Free Para Scapular Flap (FPSF) for Skin Reconstruction*
- DOI *Claw Hand Deformity (Brand Operation)*
- DOI *Algodystrophy Syndrome Complicated by Constricting Ring at the Proximal Border of the Edema*
- DOI *Non- Traumatic Non- Embolic Acute Thrombosis of Radial Artery (Buerger's Disease)*
- DOI *Isolated Axillary Tuberculosis Lymphadenitis*
- DOI *The Iliopsoas Tendonitis... The Snapping Hip*
- DOI *Bilateral, Focal Autoimmune Thalamitis*

- DOI *Peri- Menopausal Breast Lesions: Towards a More Decisive Approach*

To read the original Arabic version of the article, click on: →

- *DOI* *The New Frankenstein Monster*
- *DOI* *The Lone Wolf*
- *DOI* *The Delirium of Night and Day*
- *DOI* *The Delirium of the Economy*
- *DOI* *Ovaries in a Secure Corner… Testicles in a Humble Sac: An Inquiry into the Function of Form*
- *DOI* *Eve Preserves Humanity's Blueprint; Adam Drives Its Evolution*
- *DOI* *The Manufacture of the Unconscious*
- *DOI* *The Ballad of Eternity*
- *DOI* *Two Truths Woman Would Never Accept*
- *DOI* *The 'Iddah (Waiting Period) in Islamic Law: A Comparative Analysis of its Rationale for Divorced Women and Widows*
- *DOI* *The IVF/ICSI-Conceived Child: A Biologically Suboptimal Outcome*
- *DOI* *Nature's Relentless Couriers*
- *DOI* *The Triad of Intelligence... A Traveler's Provisions!*
- *DOI* *Zero-Value Equations: Modernity's Hidden Costs and False Promises*
- *DOI* *The Dialectic of Meaning and Meaninglessness*
- *DOI* *Societal Schizophrenia: The Delirium of Our Time*
- *DOI* *The Rational Mind and the Abstract Mind*

- DOI *The Electric Lamp: Between Abstraction and Application - A Journey of a Thousand Years!*
- DOI *Thus spoke Abraham, the Friend: The Eternal... and the Ephemeral*
- DOI *The Crisis of an Intellectual Who Lost His Identity Under Piles of the Read and the Heard*
- DOI *Polygamy and Right-Hand Possession*
- DOI *Quranic Revelations*
- DOI *And the Profession... is a Martyr!*
- DOI *After Death and Before the Final Drive: Either Metamorphosis or Liberation!*
- DOI *The Junction of the Two Seas: An Isthmus Between Two Lives... The Story of Moses Who Lost His Fish*
- DOI *Absurd Wars: The Dualities of Existential Anxiety... Eternal Torment or a Sustained Test?*
- DOI *The Myth, The Aged Truth: Samson the Tale, and Sisyphus the Human*
- DOI *The Black Hole and The Falling Star Hypothesis*
- DOI *Adam's Apple and Adam's Rib: Two Facets of the Human Form*
- DOI *Eve (Hawwā): The Containing Woman.. A Philosophical Study of Name, Nature, and the Feminine Psyche*
- DOI *The Spirit and The Psyche: The First is a Gift from the Creator, The Second is a Craft of the Created*
- DOI *Noah's Ark: A Reprieve from Annihilation, Not from the Ordeal*
- DOI *The Final Deluge: A Great Flood... and No Ark*
- DOI *Unveiling the Veiled: It begins with the Name… and ends with Identity.*

- DOI *Human Society: A Gathering of Necessity or a Gathering of Innate Nature?*
- DOI *The Eternal Dialectic: Thought and Power in the Rise and Fall of Civilizations*
- DOI *She Almost Bore Her Brother: How Genetics Vindicates an Ancient Arabic Saying*
- DOI *The Imam Said: On Solitude and the Cure for a Troubled Time*
- DOI *Vitamin D: Youth For Ever*
- DOI *The Creation of Adam and the Creation of Eve: And from His Rib, Eve Was*
- DOI *Adam's Apple and Adam's Rib: Two Facets of a Single Sin*
- **DOI *The Barr Body Reconsidered: A Novel Hypothesis for the Evolutionary Origin of Human Sex Chromosomes***
- DOI *In the Philosophy of the Atom: Who Gave the Electron its Negative Charge?*
- **DOI *The Story of Human Genesis: From Ancestral Predecessor to Human Successor — Bridging Theological Metaphor and Scientific Exposition***
- DOI *Research Proposal: Re-evaluating the Structural Mass of the Human X Chromosome Demystifying Algorithmic Filtering in Genomic Assemblies and Characterizing the Sovereign Function of the Barr Body*

- **DOI *The Founding Excision Hypothesis: A Testable Physical Prediction of Bimodal X Chromosome Mass in Human Oocytes and the True Nature of the Barr Body (Executive Summary)***
- **DOI *The Unified Mechanical Model of Neurotransmission: A Theoretical Framework and Experimental Blueprint for Validation***

DOI ***A Critical Review of the Lyon Hypothesis***

DOI *Lord of the Two Easts and Lord of the Two Wests (Quran 55:17): The Deferred Unveilings*

- ***DOI*** ***The Unified Mechanical Model of Neurotransmission: A Mechanical-First Hypothesis of Continuous Axonal Signal Propagation and Pressure-Differential Ion-Channel Gating***

15/08/2018